

WINDSOR FRAMEWORK WEB SERVICE API -REST

DEVELOPERS GUIDE

Version 1.1

Northern Ireland – Windsor Agreement

Customers despatching items from Great Britain to Northern Ireland must provide the relevant level of data as per below in accordance with the Windsor Framework. Multi parcel shipments are accepted but the weight limit of each individual parcel is a maximum of 31kg.

Shipments which are being collected from a BT postcode require no additional data.

Third party collection and carriage forward where delivery postcode = BT, services are not available.

Deferment account

If your B2B goods do not qualify under UKIMS and are therefore considered 'at risk' of leaving Northern Ireland, a full H1 international dataset will be required for the declaration. 'At risk' shipments will also be charged at the applicable European Union (EU) rate of duty.

If you'll be shipping 'red lane' goods and will move to use an NI deferment account linked to your NI EORI number for Customs charges, please remember to authorise DHL to apply charges to this account. You'll need to state your NI deferment account number within the shipment data.

Alternatively, if you do not provide your NI deferment account number, we'll apply the DHL eCommerce UK deferment account.

Clearance declaration - Northern Ireland (Windsor Framework)

Customers are to populate the **clearance declaration** covered above, which includes the shipment movement, sender UKIMS, sender EORI, sender deferment account, recipient UKIMS and recipient EORI.

All domestic record fields are to be supplied as per normal domestic shipment creation

Additional data requirements are then dependant upon the trade lane movement. The 4 trade lanes are C2C, C2B, B2C and B2B.

Additional data requirements

C₂C

In addition to domestic fields, in this scenario, you will need to supply...

Field	Туре	Description
Description of goods	Alpha	Shipment level description of goods
Total value	Number	Total value of the shipment
Shipment movement type	Alpha	This is used to confirm the trade lane movement type.
Number of pieces	Num	Total number of pieces within the shipment.

C2B

In addition to domestic fields, in this scenario, you will need to supply...

Field	Туре	Description
Shipment movement type	Alpha	This is used to confirm the trade lane movement type.
Number of pieces	Num	Total number of pieces within the shipment. This value must match the total quantity from all items in the clritem rows
Recipient EORI	Alpha	Mandatory is recipient UKIMS is provided.
Recipient UKIMS	Alpha	The UKIMS supplied must match with the EORI number that was used to apply for the UKIMS number.
Total value	Money	Total value of the shipment

Description of goods	Alpha	Item level description. If commodity code is not supplied, description of goods will be used to look up commodity code
Commodity code	Num	6 digit commodity code
Unit quantity	Num	Number of units of this item

B₂C

In addition to domestic fields, in this scenario, you will need to supply...

Field	Туре	Description
Shipment movement type	Alpha	This is used to confirm the trade lane movement type.
Number of pieces	Num	Total number of pieces within the shipment. This value must match the total quantity from all items in the clritem rows
Sender EORI	Alpha	Mandatory if sender UKIMS is provided
Sender UKIMS	Alpha	The UKIMS supplied must match with the EORI number
		that was used to apply for the UKIMS number.
Total value	Money	Total value of the shipment
Description of goods	Alpha	Item level description. If commodity code is not supplied,
		description of goods will be used to look up commodity
		code
Commodity code	Num	6 digit commodity code
Unit quantity	Num	Number of units of this item

Not at risk 'green lane' and at risk 'red lane' B2B trade lanes

A B2B shipment will be classed as not at risk 'green lane' based on the provision of either your UKIMS number (as the shipper) or the UKIMS number for the receiving business. For green lane shipments the simplified H8 dataset will be required.

For at risk 'red lane' movements the full H1 international dataset will be required.

B2B 'Green Lane'

In addition to domestic fields, in this scenario, you will need to supply...

Field	Туре	Description			
Shipment movement type	Alpha	This is used to confirm the trade lane movement type.			
Number of pieces	Num	Total number of pieces within the shipment. This value must match the total quantity from all items in the clritem rows			
Sender EORI	Alpha	Mandatory if sender UKIMS is provided			
Sender UKIMS	Alpha	If shipment is a B2B movement, either sender or recipient UKIMS must be provided to be classed as a green lane movement. The UKIMS supplied must match with the EORI number that was used to apply for the UKIMS number.			
Recipient EORI	Alpha	Mandatory is recipient UKIMS is provided.			
Recipient UKIMS	Alpha	If shipment is a B2B movement, either sender or recipient UKIMS must be provided to be classed as a green lane movement. The UKIMS supplied must match with the EORI number that was used to apply for the UKIMS number.			
Total value	Money	Total value of the shipment			
Description of goods	Alpha	Item level description			
Commodity code	Num	10 digit commodity code, mandatory for B2B green lane.			
Unit quantity	Num	Number of units of this item			
Unit value	Num	Value of the item			
Unit weight	Num	Weight of the item			
Country of manufacture	Alpha	ISO 2 country code for country of manufacture			

Either the senders EORI and UKIMS or the recipient EORI and UKIMS is required to enable green lane movement.

If the UKIMS is not provided, then the shipment will need to be sent as a B2B red lane.

B2B 'Red Lane'


In addition to domestic fields, in this scenario, you will need to supply...

Field	Туре	Description			
Shipment movement type	Alpha	This is used to confirm the trade lane movement type.			
Sender deferment	Alpha	Deferment account number used to pay customs duties			
account		associated with your shipment. If blank, then DHL			
		deferment account number will be applied			
Number of pieces	Num	Total number of pieces within the shipment. This value			
		must match the total quantity from all items in the clritem			
		rows			
Recipient EORI	Alpha	Recipient EORI Number, mandatory for B2B red lane.			
Total value	Money	Total value of the shipment			
Shipping charges	Money	Shipment shipping charges			
Reason for export	Alpha	Reason for export. G = Gift, S = Commercial Sample, C =			
		Commercial Sale.			
Description of goods	Alpha	Item level description.			
Commodity code	Num	10 digit commodity code			
Unit quantity	Num	Number of units of this item, mandatory for B2B green			
		lane.			
Unit value	Num	Value of the item			
Unit weight	Num	Weight of the item			
Country of manufacture	Alpha	ISO 2 country code for country of manufacture			

OBTAINING A TEST USERNAME & PASSWORD

Before you can fully start your development work to integrate your system with DHL eCommerce UK's web API you will need to following:

- Live DHL eCommerce UK account number(s).
- For some services login and password authentication is required.
- Obtain your live DHL eCommerce UK account number(s) from your DHL eCommerce UK Sales/Account Manager.
- 2. Go to the URL https://track.qa.dhlparcel.co.uk/register and register yourself as a new user using your DHL eCommerce UK account number.



- 3. Once approved you will receive a confirmation email.
- 4. You now have a working test username and password to start your development.

Note* Once you have transitioned your development over to Live, your QA access will be removed. This is to reduce the load on our Test environment.

DOMESTIC SHIPMENT

Once you have your API key, authenticationToken and a collectionJobNumber you are ready to generate DHL eCommerce UK Domestic shipment labels through the web API. This web service call is for domestic shipments only.

The Domestic shipment API has been developed as a REST operation.

This API is allows doorstep and direct to ServicePoint addressing, and inbox returns. In some cases the information required for these types of deliveries differs. The below contract identifies the mandatory fields for both types of delivery but in addition provides guidance in the description as to what information should be captured.

Please ensure you read through this information in detail as any missing or incorrect data provided could result in your shipments not being delivered and returned to you.

DomesticConsignment								
Version: 2.0	Version: 2.0 29/08/2024							
Resource: /gateway/Dor	nesticConsignment	/2.0/Domestic0	Cons	signment				
HTTP Method: POST								
Test Endpoint:								
https://services.qa.dhlparc	el.co.uk							
Live Endpoint:								
https://services.dhlparcel.c	<u>:o.uk</u>							
HTTP HEADER:								
	1							
Parameter Name:	Type:	Mandatory (Y/N)	/	Parameter	Description/Notes:			
x-api-key	String	Y			ely assigned API key. Reference source not f			
D D. I.								
Request Body:		1						
Parameter Name	Туре	Mandatory for both delivery methods		landatory for rvicePoint s	Description			
username	String (50)	Y			Username used to login.			
authenticationToken	String (36)	Y			Token received from successful login.			
accountNumber	String (10)	Y			DHL eCommerce UK account number. 7			

				ahana (4 ahaha i C		
				chars (1 alpha + 6		
collectionInfo	See next section	Either one element is Cannot su	or the other mandatory. pply both or npty.	numeric e.g A123456) One of these elements (choice) is required: - collectionJob Number OR - collectionDate (restricted option)		
				, ,		
Collection Information – one er	ntry only					
collectionJobNumber collectionDate	String DateTime	restricted of requires a additional secomm Where a coluste ensure that arranged a country with their co	nDate" is a option which pproval and et up by DHL derce UK. dection date is omers must at they have daily collection office. Manager	■ collectionJob Number obtained from BookCollectio n API call ■ collectionDat e must be in ISO 8601 extended format YYYY- MM-DD		
				D . "		
delivery	See next section	Y		Details about the delivery. This can be the same as recipient or different e.g. ServicePoint		
Delivery Information						
Delivery information						
localContactName	String (35)	Y		Local contact name for delivery. Delivery Contact – Mandatory for ServicePoint Deliveries		
localContactNumber	String (35)	Y		Local contact number for delivery. Notification messages will be sent to this number. Can contain digits and + or () characters		
contactNumberType	String	Y		Either mobile or phone phone = landline number		

IocalContactEmail	String (60)	Y		Local contact email for delivery. Notification messages will be sent to this email address. For example: delivery@mydomain.c om
deliveryAddresses	List See delivery address section	Y		List of delivery addresses. At least 1 address is required. In case of ServicePoint delivery, deliveryaddress will be the ServicePoint address selected. In case of doorstep delivery, delivery address will be same as recipient address
Each entry in the deliveryAddi	ress list is of typ	e address		
businessName	String (35)	N	Υ	Business name to be
addropp1	String (25)	Y	Y	delivered to. Mandatory if the recipient addressType is "business" and delivery addressType is "doorstep" If addressType is parcelshop (Service Point) use <businessname> from ServicePoint Finder API First line of address</businessname>
address1	String (35)	Y	Ť	If addressType is parcelshop (Service Point) use <title> from ServicePoint Finder API</td></tr><tr><td>address2</td><td>String (35)</td><td>N</td><td>N</td><td>Second line of address. If addressType is parcelshop (Service Point) use <Address1> from ServicePoint Finder API</td></tr><tr><td>address3</td><td>String (35)</td><td>N</td><td>N</td><td>Third line of address. If addressType is parcelshop (Service Point) use</td></tr></tbody></table></title>

				A 1 1 2 2 2 0 () 2 2 2
				<address2> from ServicePoint Finder API</address2>
postalTown	String (35)	Y		Name of town or city.
				If addressType is parcelshop (Service Point) use < PostalTown> from ServicePoint Finder API
county	String (35)	N	N	County.
				If addressType is parcelshop (Service Point) use < County> from ServicePoint Finder API
postcode	String (15)	Y		Full UK Postal Code.
				If addressType is parcelshop (Service Point) use < Zipcode> from ServicePoint Finder API
countryCode	String (3)	Y		GBR
addressType	String	Y		Address type of the delivery. This will be used to identify where the parcel will be delivered to. If doorstep delivery then recipient address and delivery address can be the same. Valid values are: • doorstep • parcelshop (Service
ServicePointID	String	N	Y	Point) If addressType is
	9			parcelshop (Service Point) use < ServicePointID> from ServicePoint Finder API
specialInstructions	String (Max	N	N	A special instruction
	60)	N1	N1	for the delivery driver.
secureLocation	String (Max 60)	N	N	Leave safe instructions if no answer at delivery attempt. Only valid for doorstep deliveries.
serviceKey	Integer	Y		DHL eCommerce UK
				service code required

items	Integer	Y		Number of boxes to
				be despatched.
				(Number of labels).
to to DATe to Life	Literation			Min 1, max 999
totalWeight	Integer	Υ		Shipment Total weight
				in whole Kg. Min 1,
t	Otrica a (OO)	N.I.		max 999
customerReference	String (20)	N		Your reference for this
				shipment will appear
				on your DHL invoice. Typically sales order
				number.
alternativeReference	String (20)	N		Your second
alternatiververence	Ottling (20)	14		reference for this
				shipment e.g.
				customer purchase
				order number.
parcels	See parcel	N	Υ	Details of parcel in the
	section			shipment for
				ServicePoint delivery.
				Only one parcel is
				allowed per shipment
				and you must provide
				the declared
				dimensions of your
				parcel.
Parcels				
longth	Integer	N	Υ	Size of the longest
length	Integer	IN	·	side of the parcel.
				Number between 1
				and 999 cm.
width	Integer	N	Y	Size of the shortest
				side of the parcel.
				Number between 1
				and 999 cm.
height	Integer	N	Υ	Declared height of
				parcel. Number
				between 1 and 999
				cm.
	11.			110
extendedCoverUnits	Integer	N		If extended cover is
				required for this
				shipment, specify how
				many extended cover units are required, 0 to
				10. 1 unit equates to
				£1000 additional
				cover.
recipient	See	Υ		
	recipient			
	section			
Destrict				
Recipient				
contactName	String (Max	Y		Local contact name
55.71401.714	35)	,		for delivery
	1 331			I IOI GEIIVEIV

contact:mail String (Max 60)		1			1
recipientAddress See recipient Address Section. Each entry in the recipientAddress list is of type address businessName String (35) String (35)	contactEmail	/	Y		Local contact email for delivery
recipient Address Section. Each entry in the recipientAddress list is of type address businessName String (35) N Business name to be delivered to. Mandatory if the recipient addressType is "business" and delivery addressType is "business" and delivery addressType is "doorstep" address1 String (35) String (35) String (35) String (35) N Third line of address. Provide if available. postalTown String (35) String (35) V Name of town or city. Provide if available. county String (35) String (35) N County String (35) N County String (35) AddressType String (35) AddressType String (35)	contactNumber	U (N	Y	
businessName String (35) And address Type address1 address2 String (35) String (35) Address2 String (35) String (35) Address3 String (35) String (35) Address3 String (35) Address3 String (35) Address3 String (35) And address3 String (35) And address Provide if available. PostalTown String (35) String (35) And address Provide if available. County String (35) And County Provide if available. County String (35) String (35) And County County String (35) Address Type String (35) Address Type String (35) Address Type String (35) Address Type Address type of the recipient. This will be used to identify business or residential customers. If business hen business her address Types are dependent on this and the serviceKey Valid values are: business exchangeOnDelivery Boolean N Set to NonRequired service no longer available. Is an Exchange On Delivery required? true for yes, false for no. To be used with "Deliver to doorstep only service codes only service codes	recipientAddress	See recipient Address	Y		
businessName String (35) And address Type address1 address2 String (35) String (35) Address2 String (35) String (35) Address3 String (35) String (35) Address3 String (35) Address3 String (35) Address3 String (35) And address3 String (35) And address Provide if available. PostalTown String (35) String (35) And address Provide if available. County String (35) And County Provide if available. County String (35) String (35) And County County String (35) Address Type String (35) Address Type String (35) Address Type String (35) Address Type Address type of the recipient. This will be used to identify business or residential customers. If business hen business her address Types are dependent on this and the serviceKey Valid values are: business exchangeOnDelivery Boolean N Set to NonRequired service no longer available. Is an Exchange On Delivery required? true for yes, false for no. To be used with "Deliver to doorstep only service codes only service codes	Fach entry in the recipientAdd	 ress list is of tw	l ne address		
delivered to. Mandatory if the recipient addressType is "business and delivery addressType is "doorstep" address1	Lacif chity in the recipient Add	1033 1131 13 01 191	oc address		
address1 String (35) Y First line of address Type is "business" and delivery addressType is "doorstep" address2 String (35) N Second line of address. Provide if available. address3 String (35) N Third line of address. Provide if available. postalTown String (35) Y Name of town or city. Provide if available. county String (35) N N County. county String (35) N N County. postcode String (15) Y Full UK Postal Code. countyCode String (3) Y GBR addressType String Y Address type of the recipient. This will be used to identify business or residential customers. If business, then businessName is mandatory. Allowed delivery addressTypes are dependent on this and the serviceKey Valid values are: • business Type preDeliveryNotificationType String Y Set to NonRequired service no longer available. String Y Set to NonRequired service no longer available. String Y Set to NonRequired service no longer available. preDelivery veguired? true for yes, false for no. To be used with "Deliver to doorstep only" service codes	businessName	String (35)	N		
address2 String (35) N Second line of address. Provide if available. Address3 String (35) N Third line of address. Provide if available. PostalTown String (35) String (35) Y Name of town or city. Provide if available. County String (35) String (35) N County. Postcode String (15) String (15) String (35) Y Address type of the recipient. This will be used to identify business or residential customers. If business, then business, then business, then business hame is mandatory. Allowed delivery address Types are dependent on this and the service Key Valid values are: PreDeliveryNotificationType String Y Set to NonRequired service no longer available. exchangeOnDelivery Boolean N Is an Exchange On Delivery required? true for yes, false for no. To be used with "Deliver to doorstep only" service codes only "service codes on the service codes on the service on only "service codes on the service codes only "service codes only "service codes on the service on longer available.					recipient addressType is "business" and delivery addressType is "doorstep"
address. Provide if available. address3 String (35) N Third line of address. Provide if available. postalTown String (35) Y Name of town or city. Provide if available. county String (35) N N County. postcode String (15) Y Full UK Postal Code. countryCode String (3) Y GBR addressType String Y Address type of the recipient. This will be used to identify business or residential customers. If business, then businessName is mandatory. Allowed delivery addressTypes are dependent on this and the serviceKey Valid values are: • business • residential preDeliveryNotificationType String Y Set to NonRequired service no longer available. exchangeOnDelivery Boolean N Is an Exchange On Delivery required? true for yes, false for no. To be used with "Deliver to doorstep only" service codes					
postalTown String (35) Y Name of town or city. Provide if available. County String (35) N N County. postcode String (15) Address type of the recipient. This will be used to identify business or residential customers. If business, then business, then business, then business, then business are dependent on this and the serviceKey Valid values are: • business • residential preDeliveryNotificationType String Y Set to NonRequired service no longer available. RechangeOnDelivery Boolean N Provide if available. N N N County. Address type of the recipient. This will be used to identify business or residential customers. If business, then business, then business are dependent on this and the serviceKey Valid values are: • business • residential preDeliveryNotificationType String Y Set to NonRequired service no longer available. Is an Exchange On Delivery required? true for yes, false for no. To be used with "Deliver to doorstep only" service codes			N		address. Provide if available.
provide if available. county String (35) N N County. postcode String (15) Y Full UK Postal Code. countryCode String (3) Y GBR addressType String Y Address type of the recipient. This will be used to identify business or residential customers. If business, then businessName is mandatory. Allowed delivery addressTypes are dependent on this and the serviceKey Valid values are: • business • residential preDeliveryNotificationType String Y Set to NonRequired service no longer available. exchangeOnDelivery Boolean N Is an Exchange On Delivery required? true for yes, false for no. To be used with "Deliver to doorstep only" service codes	address3	String (35)	N		
postcode CountryCode String (3) Address Type String String Y Address type of the recipient. This will be used to identify business or residential customers. If business, then businessName is mandatory. Allowed delivery addressTypes are dependent on this and the serviceKey Valid values are: • business • residential preDeliveryNotificationType String Y Set to NonRequired service no longer available. exchangeOnDelivery Boolean N Is an Exchange On Delivery required? true for yes, false for no. To be used with "Deliver to doorstep only" service codes	postalTown	String (35)	Y		
countryCode addressType String String Y Address type of the recipient. This will be used to identify business or residential customers. If business, then businessName is mandatory. Allowed delivery addressTypes are dependent on this and the serviceKey Valid values are: • business • residential preDeliveryNotificationType String Y Set to NonRequired service no longer available. exchangeOnDelivery Boolean N Is an Exchange On Delivery required? true for yes, false for no. To be used with "Deliver to doorstep only" service codes	county	String (35)		N	
addressType String Y Address type of the recipient. This will be used to identify business or residential customers. If business, then businessName is mandatory. Allowed delivery addressTypes are dependent on this and the serviceKey Valid values are: • business • residential preDeliveryNotificationType String Y Set to NonRequired service no longer available. exchangeOnDelivery Boolean N Is an Exchange On Delivery required? true for yes, false for no. To be used with "Deliver to doorstep only" service codes	postcode				
recipient. This will be used to identify business or residential customers. If business, then businessName is mandatory. Allowed delivery addressTypes are dependent on this and the serviceKey Valid values are: • business • residential preDeliveryNotificationType String Y Set to NonRequired service no longer available. exchangeOnDelivery Boolean N Is an Exchange On Delivery required? true for yes, false for no. To be used with "Deliver to doorstep only" service codes					_
preDeliveryNotificationType String Y Set to NonRequired service no longer available. exchangeOnDelivery Boolean N Is an Exchange On Delivery required? true for yes, false for no. To be used with "Deliver to doorstep only" service codes	addressType	String	Y		recipient. This will be used to identify business or residential customers. If business, then businessName is mandatory. Allowed delivery addressTypes are dependent on this and the serviceKey Valid values are: • business
exchangeOnDelivery Boolean N Is an Exchange On Delivery required? true for yes, false for no. To be used with "Deliver to doorstep only" service codes	preDeliveryNotificationType	String	Y		
Delivery required? true for yes, false for no. To be used with "Deliver to doorstep only" service codes	p. 35 on to 17 to an out of 17 pe	Sung			service no longer
	exchangeOnDelivery	Boolean	N		Delivery required? true for yes, false for no. To be used with "Deliver to doorstep
	bookin	Boolean	N		

	1			
inBoxReturn	Boolean	N		Is an Inbox return required for this outgoing shipment? True for yes, or false for no. 1 Inbox return label will be printed with an optional return instructions label.
inBoxReturnDetail	See inBox Return Detail section	N		InBox return address is set against the returnAccountNumber. Please contact your Sales/Account Manager should you have any queries/changes to this address.
inBoxReturnDetail				
III DOM CHAIN DOLLIN				
returnAccountNumber	String (Max 10)	Y	N	Return credit account number the generated return shipment should be invoiced to
returnCustomerReference	String (Max 20)	N		Customer reference for the generated return shipment (typically an RMA number)
returnCustomsDeclaration	See return Customs Declaration Section	N		If the return address is outside the United Kingdom, then a basic customs declaration for the return shipment is required
returnCustomsDeclaration				
Total Medicine Bedian direct				
descriptionOfGoods	String (Max 90)	Y	N	Description of the contents of the return consignment
totalValue	Number	Y	N	Value of goods decimal between 0.01 and 10000
currencyCode	String (Max 3)	Y	N	Currency code of the value the goods are declared in. 3 character ISO country code e.g. USD for US Dollars, EUR for Euros, GBP for British Pounds
Clearance	See clearanc	e declaration		Clearance declaration required for Northern Ireland shipments – see below details

Clearanceitem	San alaarara	o itom		Clearance item
Clearanceitem	See clearance item			Clearance item required for Northern Ireland shipment dependant upon shipment movement type see below.
Clearancedeclaration – This is				
Senders EORI Number	String (Max 15)	See description	See description	Senders EORI Number https://www.g ov.uk/eori Mandatory if sender UKIMS is provided
Shipment Movement Type	String (Max 3)	See description	See description	This is used to confirm the trade lane movement and is not used to categorise the delivery address. Codes to use: C2C, C2B, B2C or B2B C2C - Shipper and recipient are consumers C2B - Shipper is a consumer and recipient is a business (If shipment is going to a consumer at a business address, for example their work address, this is still a C2C movement B2C - Shipper is a business and recipient is a consumerB2B - Shipper is a business and recipient is a business and recipient is a consumer at a business (If shipment is going to a consumer at a business address, for example their work address, this is still a B2C movement)
Senders UKIMS Number	String (Max 32)	N	N	If shipment is a B2B movement, either shippers or recipient UKIMs must be provided to be classed as a green lane movement. The UKIMS supplied must match with the EORI number that was used to apply for the UKIMS number.

Senders Deferment Account	String	N	N	If blank, and Shipment	
				Movement Type is B2B red lane, then	
				DHL deferment	
				account will be applied	
Recipient UKIMS Number	String (Max	N	N	If shipment is a B2B	
	32)			movement, either shippers or recipient	
				UKIMs must be	
				provided to be classed as a green lane	
				movement.	
				The UKIMS supplied must match with the	
				EORI number that	
				was used to apply for the UKIMS number.	
Recipient EORI Number	String (Max 15)	See description	See description	Recipient EORI Number Get an EORI	
	10/1	accomption	accomplion	number	
				Mandatory if recipient UKIMS is provided	
				Mandatory for B2B	
Number of Pieces	Num	N	N	red lane movements Sum of quantity from	
Transcr of Ficoco	T T T T T T T T T T T T T T T T T T T	IV.	.,	all items from the	
				clearance item rows for the same Shipment	
				ID	
Shipping Charges	Money	N	N	Shipping charges including decimal	
				place e.g 5.00	
Total Value	Money	See description	See description	Total value of all items. Decimal	
		docomplion	description	between 0.01 and	
				10000 Mandatory for C2C,	
		-		C2B, B2C & B2B	
Reason For Export	Alpha	See description	See description	Reason for export. G = Gift, S =	
		u u u u u u u u u u u u u u u u u u u	docomplion	Commercial Sample,	
				C = Commercial Sale, Mandatory for B2B	
				red lane movements	
Clearanceitem – This is required when sending Northern Ireland shipments					
Commodity code	Num (10)	See	See	Commodity code	
		description	description	requirement dependent on trade	
				lane movement	
				C2C – no commodity code	
				Optional	
				B2C 6 digit commodity code	
				C2B 6 digit commodity	
				code Mandatory	
				ivialiuatoi y	

				B2B 'green lane' and 'red lane' – 10 digit
				commodity code.
Description of goods	Alpha	See description	N	Description will be used to populate commodity code for C2B and B2C, if commodity code is not provide
Unit Quantity	Num	N	N	Number of units of this item
Unit Value	Num	N	N	Unit value of item including decimal place. For example, £19.88 = 19.88
Unit Weight	Num	N	N	Weight of item in Kgs including decimal place. For example, 25.22
Country of manufacture	Alpha (2)	N	N	ISO 2 country code for country of manufacture
labelFormat	String	Y		Format of label required.
				Valid values are: PNG6x4 for 6x4 PNG Labels at 300dpi ZPL200dpi6x4 for 6x4 ZPL Labels at 200dpi PDF200dpi6x4 for 6x4 PDF at 200dpi
Response Body:				
Troopenies Zouy!				
Successful Response – Do			created	
Parameter	Type	Notes	iono Atlanti	ana idantifiad!!! l
Identifiers	See domestic identifiers section	List of identifiers. At least one identified will be returned. Will always return an identifier with type = 'shipmentNumber'		
domesticIdentifier				
identifierType	String	Type of identifier. Valid values are:		
identifierValue	String	The DHL identifier generated		

Labels	String [byte]	If successful, then this will be an array of image(s) of the label(s) ready for you to print or display. The label stream can be Base64 encoded: • ZPL • PDF • PNG		
	Unsuccessful Response – Failed to create the shipment			
Parameter Name	Туре	Notes		
Code	Integer	"400"		
Warnings	String	A list of warnings resulting from the web service call. For each warning in the table there will be a Code and Description. The warning may contain valuable information to your end user such as account being disabled so it is likely you will want to display any warning's to your end user.		
Errors	String	If failed then a list of errors. For each error in the table there will be a Code and Description.		

```
C2C Sample Request
"userName": "{{username}}",
"authenticationToken": "{{authenticationToken}}",
"accountNumber": "{{domesticAccountGB}}",
"collectionInfo": {
"collectionJobNumber": "{{collectionJobNumber}}",
"collectionDate": ""
},
"delivery": {
"localContactName": "A Recipient",
"localContactNumber": "07000000000",
"contactNumberType": "mobile",
"localContactEmail": "recipient@email.com"
"deliveryAddresses": [
"addressType": "doorstep",
"businessName": "",
"address1": "The Cutts",
"address2": "12 Long Lane",
"address3": "",
"postalTown": "Dunmurry",
"county": "County Antrim",
"postcode": "BT17 9HN",
"countryCode": "GBR"
"specialInstructions": "Special Inst goes here",
"secureLocation": null
"recipient": {
"contactName": "A Recipient",
"contactEmail": "recipient@email.com",
"contactNumber": "07000000000",
"recipientAddress": {
"businessName": ""
"address1": "The Cutts",
"address2": "12 Long Lane",
"address3": "",
```

```
"postalTown": "Dunmurry",
"county": "County Antrim",
"postcode": "BT17 9HN",
"countryCode": "GBR",
"addressType": "residential"
"preDeliveryNotificationType": "phone"
"serviceKey": "48",
"items": "10",
"totalWeight": "11",
"customerReference": "Order1234".
"alternativeReference": "Alt ref",
"parcels": [
"length": 10,
"width": 11,
"height": 12
"extendedCoverUnits": 3,
"exchangeOnDelivery": false,
"bookin": false,
"inBoxReturn": false,
"labelFormat": "ZPL200dpi6x4",
"clearance": {
"shipmentMovementType": "C2C",
"clearanceItems": [
{
"goodsDescription": "white cotton tshirt"
//"numberOfPieces": 1,
"totalValue": 1
```

```
C2B Sample Request
"userName": "{{username}}",
"authenticationToken": "{{authenticationToken}}",
"accountNumber": "{{domesticAccountGB}}",
"collectionInfo": {
"collectionJobNumber": "{{collectionJobNumber}}",
"collectionDate": ""
},
"delivery": {
"localContactName": "A Recipient",
"localContactNumber": "07000000000",
"contactNumberType": "mobile",
"localContactEmail": "recipient@email.com"
"deliveryAddresses": [
"addressType": "doorstep",
"businessName": "The cutts recycling centre",
"address1": "The Cutts",
"address2": "12 Long Lane",
```

```
"address3": "",
"postalTown": "Dunmurry",
"county": "County Antrim",
"postcode": "BT17 9HN",
"countryCode": "GBR"
"specialInstructions": "Special Inst goes here",
"secureLocation": null
"recipient": {
"contactName": "A Recipient",
"contactEmail": "recipient@email.com",
"contactNumber": "07000000000",
"recipientAddress": {
"businessName": " The cutts recycling centre",
"address1": "The Cutts",
"address2": "12 Long Lane",
"address3": "",
"postalTown": "Dunmurry",
"county": "County Antrim",
"postcode": "BT17 9HN",
"countryCode": "GBR",
"addressType": "Business"
"preDeliveryNotificationType": "phone"
},
"serviceKey": "48",
"items": "10",
"totalWeight": "11",
"customerReference": "Order1234",
"alternativeReference": "Alt ref",
"parcels": [
"length": 10,
"width": 11,
"height": 12
"extendedCoverUnits": 3,
"exchangeOnDelivery": false,
"bookin": false,
"inBoxReturn": false,
"labelFormat": "ZPL200dpi6x4" ,
"clearance": {
"shipmentMovementType": "C2B",
"recipientEORINumber": "XI123456789101",
"recipientUKIMSNumber": "XIUKIM12345678910100000000000000",
"clearanceItems": [
"commodityCode": "123456",
"goodsDescription": "white cotton tshirt,
"UnitQuantity": 1
"numberOfPieces": 1,
"totalValue": 1
```

```
B2C Sample Request
"userName": "{{username}}",
"authenticationToken": "{{authenticationToken}}",
"accountNumber": "{{domesticAccountGB}}",
"collectionInfo": {
"collectionJobNumber": "{{collectionJobNumber}}",
"collectionDate": ""
delivery: {
"localContactName": "A Recipient",
"localContactNumber": "07000000000",
"contactNumberType": "mobile",
"localContactEmail": "recipient@email.com"
"deliveryAddresses": [
"addressType": "doorstep",
"businessName": "",
"address1": "The Cutts",
"address2": "12 Long Lane",
"address3": ""
"postalTown": "Dunmurry",
"county": "County Antrim",
"postcode": "BT17 9HN",
"countryCode": "GBR"
"specialInstructions": "Special Inst goes here",
"secureLocation": null
},
"recipient": {
"contactName": "A Recipient",
"contactEmail": "recipient@email.com",
"contactNumber": "07000000000",
"recipientAddress": {
"businessName": ""
"address1": "The Cutts",
"address2": "12 Long Lane",
"address3": "",
"postalTown": "Dunmurry",
"county": "County Antrim",
"postcode": "BT17 9HN",
"countryCode": "GBR",
"addressType": "residential"
"preDeliveryNotificationType": "phone"
},
"serviceKey": "48",
"items": "10",
"totalWeight": "11",
"customerReference": "Order1234",
"alternativeReference": "Alt ref",
"parcels": [
"length": 10,
"width": 11,
"height": 12
"extendedCoverUnits": 3,
```

```
"exchangeOnDelivery": false,
"bookin": false,
"inBoxReturn": false,
"labelFormat": "ZPL200dpi6x4",
"clearance": {
"shipmentMovementType": "B2C",
"senderEORINumber": "GB222345678910",
"senderUKIMSNumber": "GBUKIM2223456789100000000000000",
"clearanceItems": [
{
"commodityCode": "123456",
"goodsDescription": "white cotton tshirt",
"UnitQuantity": 1
}
],
"numberOfPieces": 1,
"totalValue": 1
}
```

```
B2B (Green Lane) Sample Request
"userName": "{{username}}",
"authenticationToken": "{{authenticationToken}}",
"accountNumber": "{{domesticAccountGB}}",
"collectionInfo": {
"collectionJobNumber": "{{collectionJobNumber}}",
"collectionDate": ""
"delivery": {
"localContactName": "A Recipient",
"localContactNumber": "07000000000",
"contactNumberType": "mobile",
"localContactEmail": "recipient@email.com"
"deliveryAddresses": [
"addressType": "doorstep",
"businessName": "The cutts recycling centre",
"address1": "The Cutts",
"address2": "12 Long Lane",
"address3": "",
"postalTown": "Dunmurry",
"county": "County Antrim",
"postcode": "BT17 9HN",
"countryCode": "GBR"
"specialInstructions": "Special Inst goes here",
"secureLocation": null
"recipient": {
"contactName": "A Recipient",
"contactEmail": "recipient@email.com",
"contactNumber": "07000000000",
"recipientAddress": {
"businessName": "The cutts recycling centre",
"address1": "The Cutts",
"address2": "12 Long Lane",
"address3": "",
"postalTown": "Dunmurry",
```

```
"county": "County Antrim",
"postcode": "BT179HN",
"countryCode": "GBR",
"addressType": "Business"
"preDeliveryNotificationType": "phone"
"serviceKey": "48",
"items": "10",
"totalWeight": "11",
"customerReference": "Order1234",
"alternativeReference": "Alt ref".
"parcels": [
"length": 10,
"width": 11,
"height": 12
"extendedCoverUnits": 3,
"exchangeOnDelivery": false,
"bookin": false,
"inBoxReturn": false,
"labelFormat": "ZPL200dpi6x4",
"clearance": {
"shipmentMovementType": "B2B",
"senderEORINumber": "GB222345678910",
"senderUKIMSNumber": "GBUKIM222345678910000000000000000",
"recipientEORINumber": "XI123456789101",
"recipientUKIMSNumber": "XIUKIM123456789101000000000000000",
"clearanceItems": [
"commodityCode": "1234567890",
"goodsDescription": "white cotton tshirt",
"UnitQuantity": 1,
"unitValue": 1,
"unitWeight":1,
"countryofManufacture": "GB"
"numberOfPieces": 1,
"totalValue": 1
```

```
B2B (Red Lane) Sample Request

{
    "userName": "{{username}}",
    "authenticationToken": "{{authenticationToken}}",
    "accountNumber": "{{domesticAccountGB}}",
    "collectionInfo": {
    "collectionJobNumber": "{{collectionJobNumber}}",
    "collectionDate": ""
},
    "delivery": {
    "localContactName": "A Recipient",
    "localContactNumber": "07000000000",
    "contactNumberType": "mobile",
    "localContactEmail": "recipient@email.com"
    "deliveryAddresses": [
```

```
"addressType": "doorstep",
"businessName": "The cutts recycling centre",
"address1": "The Cutts",
"address2": "12 Long Lane",
"address3": ""
"postalTown": "Dunmurry",
"county": "County Antrim",
"postcode": "BT17 9HN",
"countryCode": "GBR"
"specialInstructions": "Special Inst goes here",
"secureLocation": null
"recipient": {
"contactName": "A Recipient",
"contactEmail": " recipient@email.com",
"contactNumber": "07000000000",
"recipientAddress": {
"businessName": "The cutts recycling centre",
"address1": "The Cutts",
"address2": "12 Long Lane",
"address3": "",
"postalTown": "Dunmurry",
"county": "County Antrim",
"postcode": "BT17 9HN",
"countryCode": "GBR",
"addressType": "residential"
"preDeliveryNotificationType": "phone"
},
"serviceKey": "48",
"items": "10",
"totalWeight": "11",
"customerReference": "Order1234",
"alternativeReference": "Alt ref",
"parcels": [
"length": 10,
"width": 11,
"height": 12
"extendedCoverUnits": 3,
"exchangeOnDelivery": false,
"bookin": false,
"inBoxReturn": false,
"labelFormat": "ZPL200dpi6x4",
"clearance": {
"shipmentMovementType": "B2B",
"senderEORINumber": "'
"senderUKIMSNumber": "".
"recipientEORINumber": "XI123456789101",
"recipientUKIMSNumber": "",
"SenderDefermentAccount": "1234567",
"ReasonForExport": "G",
"ShippingCharges": 5.00,
"clearanceItems": [
```

```
"commodityCode": "1234567890",
"goodsDescription": "white cotton tshirt",
"UnitQuantity": 1,
"unitValue": 1,
"unitWeight":1,
"countryofManufacture": "GB"
}
],
"numberOfPieces": 1,
"totalValue": 1
}
```

VERSION CONTROL

Version	Date	Detail	Author
V1.0	30/08/2024	Windsor Framework - Northern Ireland	Esme Jewkes
V1.1	23/05/2025	Third party collection and carriage forward where delivery postcode = BT, services are not available. Reason for export list updated Updated B2B red lane Windsor Framework guidance to include recipient EORI number	Esme Jewkes