





At DHL we do everything we can to ensure your packages are always delivered on time and in great condition.

Parcels can travel many thousands of kilometers through DHL's network to reach their destinations. Packing your shipments with appropriate materials in a right way will help ensure they arrive safely and stay intact.

At all times, it remains the responsibility of the sender to ensure adequate packaging is used. As a reference for DHL customers, this Packing Guide provides some general instructions and examples of good packing practices. Different shipment contents requires different level of protection, therefore this should not be perceived as a final solution suitable for all customers.

Should you need further assistance, your DHL Customer Service team is only a call or email away.

Quick Tips

If you are short of time, here are some basics of good packing.

Step 1 - Assess

- Consider the weight & fragility of shipment contents
- Value of content being shipped
- Packing requirements
 prescribed by transportation
 regulations



Step 2 - Pack

- Use quality double wall boxes
 Ensure 6cm distance between
- Ensure 6cm distance between shipment content and all walls of the box
- Fill all void space

Step 3 - Seal

- Use pressure sensitive tapes of at least 48mm width
- Adopt H-taping method to seal all edge and seams



Step 4 - Label

- Apply shipment label to the top surface of your package
- Clearly display shipment label on a single surface



DISCLAIMER:

Please note that the information contained herein is general and may not apply in a specific situation, nor does it constitute an alternative to legal or other advice from an appropriately qualified professional. While reasonable care has been taken in the preparation of this document, DHL excludes all representations, warranties, undertakings and guarantees relating to the information contained herein to the maximum extent permitted by applicable laws. It is the responsibility of the Shipper to ensure compliance with all applicable laws, regulations and requirements at all times. All services are rendered subject to and in accordance with the DHL General Term and Conditions of Carriage, a copy of which is available from your DHL Customer Service Team.

ASSESS YOUR PACKING NEEDS

Quality packaging is key when it comes to preventing damage. Assessing your packing needs is an essential step to determine what's best for the type of goods you wish to transport.

CONSIDERATIONS THAT WILL HELP YOU DETERMINE YOUR PACKAGING

· ·						
Weight	 Consider the strength and durability of the packaging box An appropriate box should be able to securely hold the weight of the content being shipped Items should not touch the outer wall of the box Odd-shaped or rounded packaging may need extra attention 					
Size and Shape						
Form of Contents	 Special packaging materials and packing techniques are required for shipping liquids and powders 					
Value of Contents	Extra cushioning and protection may be required for high value goods					
Fragility	 Extra cushioning and protection are required for fragile items Apply special handling label 					
Final Use	Does the box need to be retail ready? Do you want to avoid any markings on the box?					
Regulations	Some regulated items may require specialist packaging					







Weight



Humidity



Cost

and more

Dangerous Goods

Did you knowthat food flavoring, perfumes, chemicals and electronic equipment can be classified as dangerous goods?

Contact our Customer Service team for specialist advice, and to learn about specific regulatory Requirements;

Restricted and Prohibited Commodities

Some items are prohibited for transportation with DHL Express and are classified as either Prohibited or Restricted commodities.

Please refer to for more information, or contact your DHL Customer Service team for further informations.

CHOOSE SUITABLE MATERIALS

- Good quality packaging is critical to protecting your shipment during transportation. The following content provides some general guidelines for you whe you use your own materials for packaging.
- Since this guide is designed for general use across a wide variety of products, we recommend that you also refer to packaging standards within your industry.

EXTERNAL PACKING MATERIALS

Material	 Always use high quality corrugated cardboard boxes for parcels. For fragile or heavy items,double-wall or tri-wall constructions are recommended. 	VAVAVAVAVAVAVAVAVAVAVAVAVAVAVAVAVAVAVA
	 Avoid reusing old boxes as they may have lost some of their rigidity. 	
Strength	Look out for the manufacturer stamp which tells you information about the construction type and strength of a box. Ask your box supplier for more information as required.	
	Refer to the box specifications below to select suitable packaging for the weight of your shipment.	
Size	Under-filled boxes may collapse and over-filled boxes may burst. Prevent this by choosing a box with the right size for the content being shipped.	

INTERNAL PACKING MATERIALS

- Bubble wrap, airbags, cardboard and foam peanuts/pellets are all commonly used as packaging material. All have different qualities and it is important to use them appropriately.
- Following the below table will help you decide what material is suitable for your needs.
- Note that while bubble wrap offers some void fill properties, it is more effective to use more suitable materials when trying to fill larger spaces.



	Packaging Function					
Type of Material	Cushioning	Void Fill	Protection	Divider Other Function		
Bubble Wrap	√	✓	✓			
Small Cell ¼ inch Suitable for lightweight items					Interleaving	
Large Cell ½ inch Suitable for medium weight products					Blocking	
Foam Wrap	─ ✓	√	- ✓			
Foam peanuts/pellets	─ ✓	√		_ <u> </u>		
Air Bags		√				
Crumpled Paper		✓	- ✓			
Corrugated Inserts		✓	√	- √		
Shredded Cardboard		✓	<i>-</i> ✓	<i>✓</i>	Shock absorption	


APPLY PACKING TECHNIQUES

- Following the first two sections of this guide you will now have assessed your packing needs and prepared suitable packaging materials for your shipment.
- Before introducing packing methods, here are some important principles applicable for packing your shipment contents.

Leave No Empty Space

- It is important to completely fill empty space within the box to avoid contents moving during transit which can cause damage to both contents and box.
- Place void filler on the base of the box then around the item you are shipping. Ensure there are no gaps or movement.
- When choosing void filling materials, always ensure that they would provide sufficient support for the weight of the shipment contents. Some materials may sink or deflate under the weight of the content which may eventually leave empty space inside the box.





6cm Distance

- Always place items being shipped in the center of the box with at least 6cm of separation from any external walls or corners.
- Take this into consideration when determining the size of box relative to the size of the contents.

Wrap Items Individually and Use Dividers

- When shipping multiple items in a single package, always wrap each item individually and separate with corrugated inserts or other divider materials as appropriate.
- Dividers are helpful to avoid damage caused by individual items making contact during transit, especially when items are stacked.
- Small or loose items should be placed in an inner container or plastic bag to avoid the items separating during transportation.




PACKAGING METHODS

The most suitable packing method to use will depend upon the assessment you have carried out in section 1. The main packing methods we recommend are outlined below but If you need any assistance, please contact your DHL customer service team.

Basic Packing Method

Protection Level:

Suitable for most non-fragile articles (e.g. printed matters, machinery parts, metal parts etc.)




- We recommend preparing a double wall box, but if using single wall, ensure your box has suitable strength for the weight of its contents.
- Items that may be affected by moisture and staining should be placed into a strong plastic bag or container for extra protection.
- Ensure your items are placed centrally in the box with at least
- 6cm of separation from any of the external walls and corners.
- If shipping multiple items within a single box, ensure each one is wrapped individually and well separated from one another.
- Fill any void space to prevent items moving within the box during transport.

Box-in-box Method

Protection Level:

The box-in-box method utilizes a second outer box to offer additional protection. It is useful for the transportation of more fragile items or where the inner box will be used for retail purposes.



- Both an outer and inner box will need to be prepared.
 We recommend using the original manufacturer's packaging as the inner box where possible.
 Alternatively, the inner box should be packed using the basic packing method outlined above.
- The outer box should be at least 14cm larger in all dimensions than the inner box to provide sufficient overpack protection. We recommend a double wall box but if using single wall, ensure your box has suitable strength for the weight of its contents.
- Place approximately 6cm of void fill in the base of the outer box before centrally placing the inner box inside.
- Restrict any movement of the inner box by filling void space on all sides before sealing the outer box ready for transportation.

Liquids and Powders

Many common household liquids and powders are classified as dangerous goods and are carefully regulated for transport on aircraft. If you are not a registered dangerous goods shipper, DHL may not be able to transport your items. Contact your DHL Customer Service team for more information. If the items are not classed as dangerous goods and subject to more stringent packaging requirements, the following steps will help prevent loss or damage during transport.





SEAL AND LABEL PARCEL

A good seal helps to protect your package during transit. Both the adhesive tapes you choose and how you seal the shipment makes a difference in protecting your shipment contents from being exposed or damaged during transit.



Use Pressure Sensitive Tapes

DHL recommends the following pressure sensitive tapes for their strength and durability:

- Polypropylene tape (brown plastic tape)
- Vinyl adhesive tape (electrical tape)
- Fiber-reinforced paper tape (duct tape)




Avoid Using...



H-taping

Ensure all seams are sealed using the H-taping method:

- Apply 1 strip of tape along the center seam
- Apply 2 strips of tape across both edge seams
- Apply more strips of tapes for heavier shipments
- Repeat the H-taping so that both the box's top and bottom seams are sealed





Strapping

- DHL eCommerce does not endorse the use of strapping or banding for items less than 30kg in weight as it can damage both our network machinery and the package itself.
- Suitable packaging should always be capable of carrying the weight of the items without the need for strapping.
- When shipping pieces weighing more than 30kg, strapping is an ideal way to strengthen your parcel when applied correctly.

Special Handling Label*

Although DHL cannot guarantee maintaining the stable orientation of shipments during transport, our teams actively look for visible special handling instructions. Proper use of handling instruction labels can help ensure the appropriate transport, handling and storage of your shipment during transit. Here are examples of commonly used labels:



This Way Up

The upward arrows show the direction that the package must be transported handled and stored.



Fragile, Handle with Care
The package must be handled

carefully.



Keep Dry

The package must be protected from excessive humidity and be stored under cover.



Applying Shipment Label

Displaying the shipment labels clearly is important in ensuring that your shipment moves swiftly through DHL's network. Below are a few key points to note:

- Fix the shipment label securely on the top surface of the shipment box. This will help us keep your shipment in an upright position as much as possible during transit!
- Ensure the label is wholly visible on one surface and that the label does not cover any seams.
- Do not let other labels, tapes or paperwork cover the shipment label.
- We never recommend using an old box but if you do, ensure all outdated shipment labels are removed prior to use.
- Placing a spare label inside the package will help us identify your shipment if the original label becomes detached or damaged.
- If you need to apply other labels on your shipment, please avoid placing them on the same surface as the shipment label.
- Use a plastic self-adhesive clear windowpouch to hold any loose documents that are equired to be placed outside of the box.

Did you know?

You can create your parcel label within a few clicks with our AP Portal tools.

Completing an electronic parcel label is easy as you will be guided through the process to avoid missing any information required for swift and accurate delivery of your shipment.

^{*}Any special handling label must be applied by the shipper prior to courier collection.



Damaged items lead to additional manufacturing and transportation. Protecting your shipment with appropriate packaging is an effective way of reducing carbon footprints.

DHL eCommerce – Excellence. Simply delivered. dhl.com



